

No.: ETR23801727V01 Date: 16-Aug-2023

NORDIC SEMICONDUCTOR ASA OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By NORDIC SEMICONDUCTOR ASA

Sample Name INTEGRATED CIRCUITS Style/Item No. nRF52833-QDAA A00

Buyer/Order No. PO-0022812

This report is also applicable to the following products: nRF52833-QDAA B00, Other Info.

nRF52820-QDAA C00, nRF52820-QDAA D00, nRF52811-QCAA A00,

nRF52811-QCAA B00, nRF5001-QCCC B00.

Sample Receiving Date

09-Aug-2023

Testing Period

09-Aug-2023 to 16-Aug-2023

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results

Please refer to following pages.

Conclusion

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf 💸 SĞS TAIWAN LTD. Chemical Laboratory - Taipei



Page: 1 of 12



No.: ETR23801727V01 Date: 16-Aug-2023 Page: 2 of 12

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Test Part Description

No.1 : INTEGRATED CIRCUITS

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Cadmium (Cd)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	100
	analysis was performed by ICP-OES.				
Lead (Pb)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	1000
	analysis was performed by ICP-OES.				
Mercury (Hg)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	1000
	AMD1: 2017, analysis was performed				
	by ICP-OES.				
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2: 2017,	mg/kg	8	n.d.	1000
	analysis was performed by UV-VIS.				
Monobromobiphenyl		mg/kg	5	n.d.	ı
Dibromobiphenyl		mg/kg	5	n.d.	1
Tribromobiphenyl		mg/kg	5	n.d.	1
Tetrabromobiphenyl		mg/kg	5	n.d.	ı
Pentabromobiphenyl		mg/kg	5	n.d.	ı
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	1
Octabromobiphenyl		mg/kg	5	n.d.	1
Nonabromobiphenyl		mg/kg	5	n.d.	ī
Decabromobiphenyl		mg/kg	5	n.d.	ì
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	=	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	ı
Dibromodiphenyl ether		mg/kg	5	n.d.	I
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000



No.: ETR23801727V01 Date: 16-Aug-2023 Page: 3 of 12

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321-9: 2021, analysis was performed by GC/MS.	mg/kg	20	n.d.	-
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
PFOS and its salts (CAS No.: 1763- 23-1 and its salts)	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
PFOA and its salts (CAS No.: 335-67-1 and its salts)	analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-



No.: ETR23801727V01 Date: 16-Aug-2023 Page: 4 of 12

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1 3	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. PFOS and its salts including:

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

- 6. PFOA and its salts including:
 - CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 7. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.
- 8. This test report supersedes the previous document bearing the report number ETR23801727, the report ETR23801727 was voided.




No.: ETR23801727V01 Date: 16-Aug-2023

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 5 of 12




No.: ETR23801727V01 Date: 16-Aug-2023

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Analytical flow chart - PBBs / PBDEs

First testing process _____
Optional screen process ____
Confirmation process ____



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 6 of 12




No.: ETR23801727V01 Date: 16-Aug-2023 Page: 7 of 12

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Analytical flow chart - Phthalate

【Test method: IEC 62321-8】






No.: ETR23801727V01 Date: 16-Aug-2023

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 8 of 12



No.: ETR23801727V01 Date: 16-Aug-2023 Page: 9 of 12

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Analytical flow chart - Halogen






No.: ETR23801727V01 Date: 16-Aug-2023

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 12




No.: ETR23801727V01 Date: 16-Aug-2023 Page: 11 of 12

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A method does not add HF.




No.: ETR23801727V01 Date: 16-Aug-2023

NORDIC SEMICONDUCTOR ASA
OTTO NIELSENS VEG 12, 7052 TRONDHEIM, NORWAY

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR23801727



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 12 of 12